



Escene US102-YN

Product Catalog

Escene US102-YN is ideal for the office and everyone who makes a lot of calls, the US102-YN is an affordable, yet powerful multiline SIP business telephone with excellent audio quality, built-in full duplex speakerphone and three-party conference bridging.

A 128 x 64 pixel graphical LCD display with backlit and a menu-driven user interface supports easy feature management.

9 programmable keys with for speed dialing. A address book (to which data may easily be uploaded), configurable/downloadable ringtones, auto-answer mode, DND and other sophisticated features ensure convenient and productivity. And the US102-YN's built-in web server supports even simpler end user configuration and screen dialing.

Product Features:

- **Support Chinese display**

128*64 Pixel graphic screen support Multilingual display, include Chinese phonebook and interface setting, it is easy to use for Chinese.

- **Clear voice**

US102-YN series through the unique voice processing technology that enables voice calls for more clarity and realistic, and communication more fluent.

- **Advanced Call Process**

Support 8 lines bicolor indicator light circuit, managing two lines at the same time, carrying out call queuing and circuit switch, it's also convenient for teleconference and call transfer, meet the communication requirement at the busy time.

- **Support 9 Programmable Keys**

Programmable keys can be defined as speed call key or other functional key to the appointed contact for improving the operating efficiency.

- **Enterprise Address Book Application**

Support business contacts, private phone book applications and also LDAP to help you quickly find the call number

- **Support HTTP/TFTP/FTP Auto-provision/TR069 upgrade software**

- **PoE Support (on US102-PYN) and AC power adapter (on US102-YN)**

Technical Specification

Item	US102-YN
Screen	Grayscale LCD with backlit
	128*64 pixel
Language	Support Multi-Language
Line	2
Function Keys	5 Navigation keys (Arrow button, OK button) Volume button(multiplex up and down keys) Hands-free Mute Headset Message Menu Hold Redial Conference Transfer
VoIP Protocol	SIP 2.0

Network Protocol	HTTP, BOOTP, FTP, TFTP, IEEE 802.1Q, *IEEE 802.1X
Codec	G.723.1, G.729 A/B, G.711 A/U, G.722
QoS	TOS, Jitter Buffer, VAD, CNG, G.168 (32ms)
Network	2×RJ45 10/100M Ethernet Interfaces (LAN/PC) IP Assignment: static IP, DHCP, PPPoE DNS Client, VPN(L2TP), VLAN/QoS
Voice	Crystal clear Voice on Handset/Speaker (Full-duplex) Separated 9 Level Volume Adjustment
Call Processing	Line Status Indicator Multi Account Always Forward, Busy Forward, No-answer Forward Hotline line (Immediately/Delay) Call Waiting, Call Queuing, Line Switching Call Forward, Call Transfer, Call Holding, Call Pickup, One Key Dial, Redial Phone directly speed dial, Call record direct dial 3-way conference,SMS DnD Voice mail, Voice Prompt, Voice Message Speed dial
Application	Public phone directory Private phone directory XML Phonebook Wall Mounted, Adjustable bracket
Security	Login the LCD by password Login the website by password Signaling encryption Media encryption
Management	Upgrade: HTTP/TFTP/FTP Auto-provision/TR069 Configurations: Phone/Web/Auto-provision/TR069 Debug: Telnet/Phone/Web
Power Supply	Power adapter:AC100~240V input and DC 5V/1A output PoE (IEEE 802.af)
Specification	Storage Temperature: 0℃ ~ 60℃ Operating Humidity: 10%~90%

	Size: 335mm*219mm*68mm Net weigh: 1.07kg
Package Features	Qty/CTN:10 PCS N.W/CTN: 10.7kg
Certifications	CE, FCC, RoHS

Contact Information

In China :

GUANGZHOU ESCENE COMMUNICATION CO.,LTD.

Web: <http://www.escene.cn>

Tel: (+86)20-28096798

Fax: (+86)20-28096786

Address: Floor 4 Building C YueAn Industrial Park No.54 Huangcun Road Tianhe District Guangzhou, China

In Iran :

Saean Ertebat Co.

Web: <http://www.senatelecom.com>

Tel: (+98)21-88316704

Fax: (+98)21-88316718

Address: Suite# 104, No. 34, Uraman St., Motahari St., Tehran, Iran